

MONITORAGGIO QUALITA delle ACQUE

BISELLI - anno 2017 -

- criterio 3.2.5 ASC Freshwater trout Standard (Appendix IIB) -

DATE	ANALYSIS	LOCATION	METHOD	SAMPLING BY THIRD PARTY?	ANALYSIS BY THIRD PARTY	RESULT
17/01/2017	pH	INLET	SINGLE GRAB	YES	YES	7,15
	SOS (mg/l)	INLET	SINGLE GRAB	YES	YES	2,00
	BOD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	N amm (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	INLET	SINGLE GRAB	YES	YES	0,09
	N nitrico (mg/l)	INLET	SINGLE GRAB	YES	YES	1,60
	P tot (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	pH	OUTLET	SINGLE GRAB	YES	YES	7,17
	SOS (mg/l)	OUTLET	SINGLE GRAB	YES	YES	16,00
	BOD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	7,00
	N amm (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,29
N nitrico (mg/l)	OUTLET	SINGLE GRAB	YES	YES	1,90	
P tot (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10	
11/02/2017	pH	INLET	SINGLE GRAB	YES	YES	7,20
	SOS (mg/l)	INLET	SINGLE GRAB	YES	YES	6,00
	BOD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	N amm (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	INLET	SINGLE GRAB	YES	YES	0,14
	N nitrico (mg/l)	INLET	SINGLE GRAB	YES	YES	1,40
	P tot (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	pH	OUTLET	SINGLE GRAB	YES	YES	7,22
	SOS (mg/l)	OUTLET	SINGLE GRAB	YES	YES	14,00
	BOD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	6,00
	N amm (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,24
N nitrico (mg/l)	OUTLET	SINGLE GRAB	YES	YES	1,70	
P tot (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10	
24/03/2017	pH	INLET	SINGLE GRAB	YES	YES	7,65
	SOS (mg/l)	INLET	SINGLE GRAB	YES	YES	9,00
	BOD (mg/l)	INLET	SINGLE GRAB	YES	YES	1,00
	COD (mg/l)	INLET	SINGLE GRAB	YES	YES	1,00
	N amm (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	INLET	SINGLE GRAB	YES	YES	0,01
	N nitrico (mg/l)	INLET	SINGLE GRAB	YES	YES	0,70
	P tot (mg/l)	INLET	SINGLE GRAB	YES	YES	0,04
	pH	OUTLET	SINGLE GRAB	YES	YES	7,67
	SOS (mg/l)	OUTLET	SINGLE GRAB	YES	YES	17,00
	BOD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	2,00
	COD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	6,00
	N amm (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,04
N nitrico (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,90	
P tot (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,06	

DATE	ANALYSIS	LOCATION	METHOD	SAMPLING BY THIRD PARTY?	ANALYSIS BY THIRD PARTY	RESULT
18/04/2017	pH	INLET	SINGLE GRAB	YES	YES	7,21
	SOS (mg/l)	INLET	SINGLE GRAB	YES	YES	4,00
	BOD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	N amm (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	INLET	SINGLE GRAB	YES	YES	0,17
	N nitrico (mg/l)	INLET	SINGLE GRAB	YES	YES	1,20
	P tot (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	pH	OUTLET	SINGLE GRAB	YES	YES	7,29
	SOS (mg/l)	OUTLET	SINGLE GRAB	YES	YES	16,00
	BOD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	8,00
	N amm (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,33
N nitrico (mg/l)	OUTLET	SINGLE GRAB	YES	YES	1,70	
P tot (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10	

16/05/2017	pH	INLET	SINGLE GRAB	YES	YES	7,30
	SOS (mg/l)	INLET	SINGLE GRAB	YES	YES	3,00
	BOD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	N amm (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	INLET	SINGLE GRAB	YES	YES	0,18
	N nitrico (mg/l)	INLET	SINGLE GRAB	YES	YES	1,50
	P tot (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	pH	OUTLET	SINGLE GRAB	YES	YES	7,34
	SOS (mg/l)	OUTLET	SINGLE GRAB	YES	YES	18,00
	BOD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	9,00
	N amm (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,39
N nitrico (mg/l)	OUTLET	SINGLE GRAB	YES	YES	1,90	
P tot (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10	

13/06/2017	pH	INLET	SINGLE GRAB	YES	YES	7,25
	SOS (mg/l)	INLET	SINGLE GRAB	YES	YES	6,00
	BOD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	N amm (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	INLET	SINGLE GRAB	YES	YES	0,190
	N nitrico (mg/l)	INLET	SINGLE GRAB	YES	YES	1,50
	P tot (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	pH	OUTLET	SINGLE GRAB	YES	YES	7,25
	SOS (mg/l)	OUTLET	SINGLE GRAB	YES	YES	18,00
	BOD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	9,00
	N amm (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,39
N nitrico (mg/l)	OUTLET	SINGLE GRAB	YES	YES	1,90	
P tot (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10	

DATE	ANALYSIS	LOCATION	METHOD	SAMPLING BY THIRD PARTY?	ANALYSIS BY THIRD PARTY	RESULT
11/07/2017	pH	INLET	SINGLE GRAB	YES	YES	8,17
	SOS (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	BOD (mg/l)	INLET	SINGLE GRAB	YES	YES	1,00
	COD (mg/l)	INLET	SINGLE GRAB	YES	YES	10,00
	N amm (mg/l)	INLET	SINGLE GRAB	YES	YES	0,01
	N nitroso (mg/l)	INLET	SINGLE GRAB	YES	YES	0,003
	N nitrico (mg/l)	INLET	SINGLE GRAB	YES	YES	1,30
	P tot (mg/l)	INLET	SINGLE GRAB	YES	YES	0,100
	pH	OUTLET	SINGLE GRAB	YES	YES	7,86
	SOS (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	BOD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	1,00
	COD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	10,00
	N amm (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,34
	N nitroso (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,020
N nitrico (mg/l)	OUTLET	SINGLE GRAB	YES	YES	1,35	
P tot (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,93	

17/08/2017	pH	INLET	SINGLE GRAB	YES	YES	7,25
	SOS (mg/l)	INLET	SINGLE GRAB	YES	YES	10,00
	BOD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	INLET	SINGLE GRAB	YES	YES	6,00
	N amm (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	INLET	SINGLE GRAB	YES	YES	0,27
	N nitrico (mg/l)	INLET	SINGLE GRAB	YES	YES	1,60
	P tot (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	pH	OUTLET	SINGLE GRAB	YES	YES	7,29
	SOS (mg/l)	OUTLET	SINGLE GRAB	YES	YES	19,00
	BOD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	10,00
	N amm (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,42
N nitrico (mg/l)	OUTLET	SINGLE GRAB	YES	YES	1,90	
P tot (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10	

12/09/2017	pH	INLET	SINGLE GRAB	YES	YES	7,23
	SOS (mg/l)	INLET	SINGLE GRAB	YES	YES	8,00
	BOD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	N amm (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	INLET	SINGLE GRAB	YES	YES	0,22
	N nitrico (mg/l)	INLET	SINGLE GRAB	YES	YES	1,50
	P tot (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	pH	OUTLET	SINGLE GRAB	YES	YES	7,25
	SOS (mg/l)	OUTLET	SINGLE GRAB	YES	YES	14,00
	BOD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	9,00
	N amm (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,36
N nitrico (mg/l)	OUTLET	SINGLE GRAB	YES	YES	1,70	
P tot (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10	

DATE	ANALYSIS	LOCATION	METHOD	SAMPLING BY THIRD PARTY?	ANALYSIS BY THIRD PARTY	RESULT
13/10/2017	pH	INLET	SINGLE GRAB	YES	YES	7,60
	SOS (mg/l)	INLET	SINGLE GRAB	YES	YES	8,00
	BOD (mg/l)	INLET	SINGLE GRAB	YES	YES	1,00
	COD (mg/l)	INLET	SINGLE GRAB	YES	YES	1,00
	N amm (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	INLET	SINGLE GRAB	YES	YES	0,01
	N nitrico (mg/l)	INLET	SINGLE GRAB	YES	YES	0,70
	P tot (mg/l)	INLET	SINGLE GRAB	YES	YES	0,05
	pH	OUTLET	SINGLE GRAB	YES	YES	7,65
	SOS (mg/l)	OUTLET	SINGLE GRAB	YES	YES	15,00
	BOD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	3,00
	COD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	8,00
	N amm (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,05
N nitrico (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,80	
P tot (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,08	

17/11/2017	pH	INLET	SINGLE GRAB	YES	YES	7,15
	SOS (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	BOD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	N amm (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	INLET	SINGLE GRAB	YES	YES	0,12
	N nitrico (mg/l)	INLET	SINGLE GRAB	YES	YES	1,60
	P tot (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	pH	OUTLET	SINGLE GRAB	YES	YES	7,2
	SOS (mg/l)	OUTLET	SINGLE GRAB	YES	YES	12,00
	BOD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	7,00
	N amm (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,24
N nitrico (mg/l)	OUTLET	SINGLE GRAB	YES	YES	1,90	
P tot (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10	

12/12/2017	pH	INLET	SINGLE GRAB	YES	YES	7,20
	SOS (mg/l)	INLET	SINGLE GRAB	YES	YES	4,00
	BOD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	N amm (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	INLET	SINGLE GRAB	YES	YES	0,09
	N nitrico (mg/l)	INLET	SINGLE GRAB	YES	YES	1,50
	P tot (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	pH	OUTLET	SINGLE GRAB	YES	YES	7,23
	SOS (mg/l)	OUTLET	SINGLE GRAB	YES	YES	13,00
	BOD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	8,00
	N amm (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,28
N nitrico (mg/l)	OUTLET	SINGLE GRAB	YES	YES	1,70	
P tot (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10	

MONITORAGGIO QUALITA delle ACQUE

BISELLI - 1° semestre anno 2018 -

- criterio 3.2.5 ASC Freshwater trout Standard (Appendix IIB) -

DATE	ANALYSIS	LOCATION	METHOD	SAMPLING BY THIRD PARTY?	ANALYSIS BY THIRD PARTY	RESULT
17/01/2018	pH	INLET	SINGLE GRAB	YES	YES	7,20
	SOS (mg/l)	INLET	SINGLE GRAB	YES	YES	2,00
	BOD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	N amm (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	INLET	SINGLE GRAB	YES	YES	0,05
	N nitrico (mg/l)	INLET	SINGLE GRAB	YES	YES	1,50
	P tot (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	pH	OUTLET	SINGLE GRAB	YES	YES	7,20
	SOS (mg/l)	OUTLET	SINGLE GRAB	YES	YES	10,00
	BOD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	N amm (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,20
N nitrico (mg/l)	OUTLET	SINGLE GRAB	YES	YES	1,60	
P tot (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10	

13/02/2018	pH	INLET	SINGLE GRAB	YES	YES	7,25
	SOS (mg/l)	INLET	SINGLE GRAB	YES	YES	3,00
	BOD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	N amm (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	INLET	SINGLE GRAB	YES	YES	0,06
	N nitrico (mg/l)	INLET	SINGLE GRAB	YES	YES	1,20
	P tot (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	pH	OUTLET	SINGLE GRAB	YES	YES	7,28
	SOS (mg/l)	OUTLET	SINGLE GRAB	YES	YES	9,00
	BOD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	7,00
	N amm (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,25
N nitrico (mg/l)	OUTLET	SINGLE GRAB	YES	YES	1,80	
P tot (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10	

23/03/2018	pH	INLET	SINGLE GRAB	YES	YES	7,50
	SOS (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	BOD (mg/l)	INLET	SINGLE GRAB	YES	YES	1,00
	COD (mg/l)	INLET	SINGLE GRAB	YES	YES	1,00
	N amm (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	INLET	SINGLE GRAB	YES	YES	0,01
	N nitrico (mg/l)	INLET	SINGLE GRAB	YES	YES	0,50
	P tot (mg/l)	INLET	SINGLE GRAB	YES	YES	0,03
	pH	OUTLET	SINGLE GRAB	YES	YES	7,55
	SOS (mg/l)	OUTLET	SINGLE GRAB	YES	YES	14,00
	BOD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	2,00
	COD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	6,00
	N amm (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,07
N nitrico (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,70	
P tot (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,09	

DATE	ANALYSIS	LOCATION	METHOD	SAMPLING BY THIRD PARTY?	ANALYSIS BY THIRD PARTY	RESULT
17/04/2018	pH	INLET	SINGLE GRAB	YES	YES	7,23
	SOS (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	BOD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	N amm (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	INLET	SINGLE GRAB	YES	YES	0,07
	N nitrico (mg/l)	INLET	SINGLE GRAB	YES	YES	1,30
	P tot (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	pH	OUTLET	SINGLE GRAB	YES	YES	7,25
	SOS (mg/l)	OUTLET	SINGLE GRAB	YES	YES	8,00
	BOD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	6,00
	N amm (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,14
N nitrico (mg/l)	OUTLET	SINGLE GRAB	YES	YES	1,50	
P tot (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10	

15/05/2018	pH	INLET	SINGLE GRAB	YES	YES	7,25
	SOS (mg/l)	INLET	SINGLE GRAB	YES	YES	4,00
	BOD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	N amm (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	INLET	SINGLE GRAB	YES	YES	0,09
	N nitrico (mg/l)	INLET	SINGLE GRAB	YES	YES	1,40
	P tot (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	pH	OUTLET	SINGLE GRAB	YES	YES	7,28
	SOS (mg/l)	OUTLET	SINGLE GRAB	YES	YES	9,00
	BOD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	7,00
	N amm (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,18
N nitrico (mg/l)	OUTLET	SINGLE GRAB	YES	YES	1,60	
P tot (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10	

12/06/2018	pH	INLET	SINGLE GRAB	YES	YES	7,28
	SOS (mg/l)	INLET	SINGLE GRAB	YES	YES	3,00
	BOD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	N amm (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	INLET	SINGLE GRAB	YES	YES	0,060
	N nitrico (mg/l)	INLET	SINGLE GRAB	YES	YES	1,60
	P tot (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	pH	OUTLET	SINGLE GRAB	YES	YES	7,3
	SOS (mg/l)	OUTLET	SINGLE GRAB	YES	YES	8,00
	BOD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	8,00
	N amm (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,21
	N nitrico (mg/l)	OUTLET	SINGLE GRAB	YES	YES	1,80
	P tot (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10