

MONITORAGGIO QUALITA delle ACQUE

FREDDARA - anno 2017 -

- criterio 3.2.5 ASC Freshwater trout Standard (Appendix IIB) -

DATE	ANALYSIS	LOCATION	METHOD	SAMPLING BY THIRD PARTY?	ANALYSIS BY THIRD PARTY	RESULT
17/01/2017	pH	INLET	SINGLE GRAB	YES	YES	7,15
	SOS (mg/l)	INLET	SINGLE GRAB	YES	YES	3,00
	BOD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	N amm (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	INLET	SINGLE GRAB	YES	YES	0,07
	N nitrico (mg/l)	INLET	SINGLE GRAB	YES	YES	1,90
	P tot (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	pH	OUTLET	SINGLE GRAB	YES	YES	7,18
	SOS (mg/l)	OUTLET	SINGLE GRAB	YES	YES	11,00
	BOD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	N amm (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10
N nitrico (mg/l)	OUTLET	SINGLE GRAB	YES	YES	1,80	
P tot (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10	

11/02/2017	pH	INLET	SINGLE GRAB	YES	YES	7,16
	SOS (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	BOD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	N amm (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	INLET	SINGLE GRAB	YES	YES	0,09
	N nitrico (mg/l)	INLET	SINGLE GRAB	YES	YES	1,70
	P tot (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	pH	OUTLET	SINGLE GRAB	YES	YES	7,18
	SOS (mg/l)	OUTLET	SINGLE GRAB	YES	YES	12,00
	BOD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	N amm (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,19
N nitrico (mg/l)	OUTLET	SINGLE GRAB	YES	YES	1,70	
P tot (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10	

29/03/2017	pH	INLET	SINGLE GRAB	YES	YES	7,,1
	SOS (mg/l)	INLET	SINGLE GRAB	YES	YES	9,00
	BOD (mg/l)	INLET	SINGLE GRAB	YES	YES	1,00
	COD (mg/l)	INLET	SINGLE GRAB	YES	YES	1,00
	N amm (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	INLET	SINGLE GRAB	YES	YES	0,01
	N nitrico (mg/l)	INLET	SINGLE GRAB	YES	YES	0,50
	P tot (mg/l)	INLET	SINGLE GRAB	YES	YES	0,09
	pH	OUTLET	SINGLE GRAB	YES	YES	7,1
	SOS (mg/l)	OUTLET	SINGLE GRAB	YES	YES	12,00
	BOD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	2,00
	COD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	3,00
	N amm (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,01
N nitrico (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,60	
P tot (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,14	

DATE	ANALYSIS	LOCATION	METHOD	SAMPLING BY THIRD PARTY?	ANALYSIS BY THIRD PARTY	RESULT
18/04/2017	pH	INLET	SINGLE GRAB	YES	YES	7,15
	SOS (mg/l)	INLET	SINGLE GRAB	YES	YES	4,00
	BOD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	N amm (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	INLET	SINGLE GRAB	YES	YES	0,07
	N nitrico (mg/l)	INLET	SINGLE GRAB	YES	YES	1,50
	P tot (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	pH	OUTLET	SINGLE GRAB	YES	YES	7,2
	SOS (mg/l)	OUTLET	SINGLE GRAB	YES	YES	14,00
	BOD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	N amm (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,15
N nitrico (mg/l)	OUTLET	SINGLE GRAB	YES	YES	1,70	
P tot (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10	

16/05/2017	pH	INLET	SINGLE GRAB	YES	YES	7,20
	SOS (mg/l)	INLET	SINGLE GRAB	YES	YES	3,00
	BOD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	N amm (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	INLET	SINGLE GRAB	YES	YES	0,09
	N nitrico (mg/l)	INLET	SINGLE GRAB	YES	YES	1,40
	P tot (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	pH	OUTLET	SINGLE GRAB	YES	YES	7,23
	SOS (mg/l)	OUTLET	SINGLE GRAB	YES	YES	16,00
	BOD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	N amm (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,19
N nitrico (mg/l)	OUTLET	SINGLE GRAB	YES	YES	1,60	
P tot (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10	

13/06/2017	pH	INLET	SINGLE GRAB	YES	YES	7,20
	SOS (mg/l)	INLET	SINGLE GRAB	YES	YES	6,00
	BOD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	N amm (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	INLET	SINGLE GRAB	YES	YES	0,12
	N nitrico (mg/l)	INLET	SINGLE GRAB	YES	YES	1,60
	P tot (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	pH	OUTLET	SINGLE GRAB	YES	YES	7,18
	SOS (mg/l)	OUTLET	SINGLE GRAB	YES	YES	12,00
	BOD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	N amm (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,26
N nitrico (mg/l)	OUTLET	SINGLE GRAB	YES	YES	1,80	
P tot (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10	

DATE	ANALYSIS	LOCATION	METHOD	SAMPLING BY THIRD PARTY?	ANALYSIS BY THIRD PARTY	RESULT
18/07/2017	pH	INLET	SINGLE GRAB	YES	YES	7,25
	SOS (mg/l)	INLET	SINGLE GRAB	YES	YES	8,00
	BOD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	N amm (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	INLET	SINGLE GRAB	YES	YES	0,19
	N nitrico (mg/l)	INLET	SINGLE GRAB	YES	YES	1,50
	P tot (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	pH	OUTLET	SINGLE GRAB	YES	YES	7,25
	SOS (mg/l)	OUTLET	SINGLE GRAB	YES	YES	15,00
	BOD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	N amm (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,22
N nitrico (mg/l)	OUTLET	SINGLE GRAB	YES	YES	1,70	
P tot (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10	
17/08/2017	pH	INLET	SINGLE GRAB	YES	YES	7,15
	SOS (mg/l)	INLET	SINGLE GRAB	YES	YES	8,00
	BOD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	N amm (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	INLET	SINGLE GRAB	YES	YES	0,15
	N nitrico (mg/l)	INLET	SINGLE GRAB	YES	YES	1,60
	P tot (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	pH	OUTLET	SINGLE GRAB	YES	YES	7,2
	SOS (mg/l)	OUTLET	SINGLE GRAB	YES	YES	15,00
	BOD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	N amm (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,25
N nitrico (mg/l)	OUTLET	SINGLE GRAB	YES	YES	1,70	
P tot (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10	
12/09/2017	pH	INLET	SINGLE GRAB	YES	YES	7,20
	SOS (mg/l)	INLET	SINGLE GRAB	YES	YES	6,00
	BOD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	N amm (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	INLET	SINGLE GRAB	YES	YES	0,14
	N nitrico (mg/l)	INLET	SINGLE GRAB	YES	YES	1,40
	P tot (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	pH	OUTLET	SINGLE GRAB	YES	YES	7,22
	SOS (mg/l)	OUTLET	SINGLE GRAB	YES	YES	11,00
	BOD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	N amm (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,21
N nitrico (mg/l)	OUTLET	SINGLE GRAB	YES	YES	1,60	
P tot (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10	

DATE	ANALYSIS	LOCATION	METHOD	SAMPLING BY THIRD PARTY?	ANALYSIS BY THIRD PARTY	RESULT
31/10/2017	pH	INLET	SINGLE GRAB	YES	YES	7,74
	SOS (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	BOD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	INLET	SINGLE GRAB	YES	YES	12,00
	N amm (mg/l)	INLET	SINGLE GRAB	YES	YES	0,0100
	N nitroso (mg/l)	INLET	SINGLE GRAB	YES	YES	0,0030
	N nitrico (mg/l)	INLET	SINGLE GRAB	YES	YES	0,6700
	P tot (mg/l)	INLET	SINGLE GRAB	YES	YES	0,6230
	pH	OUTLET	SINGLE GRAB	YES	YES	7,75
	SOS (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	BOD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	1,00
	COD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	10,00
	N amm (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,0170
	N nitroso (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,0052
N nitrico (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,7000	
P tot (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,6510	

17/11/2017	pH	INLET	SINGLE GRAB	YES	YES	7,15
	SOS (mg/l)	INLET	SINGLE GRAB	YES	YES	3,00
	BOD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	N amm (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	INLET	SINGLE GRAB	YES	YES	0,08
	N nitrico (mg/l)	INLET	SINGLE GRAB	YES	YES	1,50
	P tot (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	pH	OUTLET	SINGLE GRAB	YES	YES	7,2
	SOS (mg/l)	OUTLET	SINGLE GRAB	YES	YES	9,00
	BOD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	N amm (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,14
N nitrico (mg/l)	OUTLET	SINGLE GRAB	YES	YES	1,70	
P tot (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10	

12/12/2017	pH	INLET	SINGLE GRAB	YES	YES	7,16
	SOS (mg/l)	INLET	SINGLE GRAB	YES	YES	3,00
	BOD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	N amm (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	INLET	SINGLE GRAB	YES	YES	0,06
	N nitrico (mg/l)	INLET	SINGLE GRAB	YES	YES	1,40
	P tot (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	pH	OUTLET	SINGLE GRAB	YES	YES	7,19
	SOS (mg/l)	OUTLET	SINGLE GRAB	YES	YES	8,00
	BOD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	N amm (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,11
N nitrico (mg/l)	OUTLET	SINGLE GRAB	YES	YES	1,50	
P tot (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10	

MONITORAGGIO QUALITA delle ACQUE

FREDDARA - anno 2018 -

- criterio 3.2.5 ASC Freshwater trout Standard (Appendix IIB) -

DATE	ANALYSIS	LOCATION	METHOD	SAMPLING BY THIRD PARTY?	ANALYSIS BY THIRD PARTY	RESULT
17/01/2017	pH	INLET	SINGLE GRAB	YES	YES	7,15
	SOS (mg/l)	INLET	SINGLE GRAB	YES	YES	2,00
	BOD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	N amm (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	INLET	SINGLE GRAB	YES	YES	0,04
	N nitrico (mg/l)	INLET	SINGLE GRAB	YES	YES	1,40
	P tot (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	pH	OUTLET	SINGLE GRAB	YES	YES	7,20
	SOS (mg/l)	OUTLET	SINGLE GRAB	YES	YES	7,00
	BOD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	N amm (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10
N nitrico (mg/l)	OUTLET	SINGLE GRAB	YES	YES	1,50	
P tot (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10	

28/02/2018	pH	INLET	SINGLE GRAB	YES	YES	7,15
	SOS (mg/l)	INLET	SINGLE GRAB	YES	YES	2,00
	BOD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	N amm (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	INLET	SINGLE GRAB	YES	YES	0,05
	N nitrico (mg/l)	INLET	SINGLE GRAB	YES	YES	1,40
	P tot (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	pH	OUTLET	SINGLE GRAB	YES	YES	7,16
	SOS (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	BOD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	N amm (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,14
N nitrico (mg/l)	OUTLET	SINGLE GRAB	YES	YES	1,40	
P tot (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10	

29/03/2018	pH	INLET	SINGLE GRAB	YES	YES	7,10
	SOS (mg/l)	INLET	SINGLE GRAB	YES	YES	9,00
	BOD (mg/l)	INLET	SINGLE GRAB	YES	YES	1,00
	COD (mg/l)	INLET	SINGLE GRAB	YES	YES	1,00
	N amm (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	INLET	SINGLE GRAB	YES	YES	0,01
	N nitrico (mg/l)	INLET	SINGLE GRAB	YES	YES	0,50
	P tot (mg/l)	INLET	SINGLE GRAB	YES	YES	0,09
	pH	OUTLET	SINGLE GRAB	YES	YES	7,2
	SOS (mg/l)	OUTLET	SINGLE GRAB	YES	YES	3,00
	BOD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	1,00
	COD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	1,00
	N amm (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,01
N nitrico (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,50	
P tot (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,04	

DATE	ANALYSIS	LOCATION	METHOD	SAMPLING BY THIRD PARTY?	ANALYSIS BY THIRD PARTY	RESULT
17/04/2018	pH	INLET	SINGLE GRAB	YES	YES	7,15
	SOS (mg/l)	INLET	SINGLE GRAB	YES	YES	3,00
	BOD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	N amm (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	INLET	SINGLE GRAB	YES	YES	0,04
	N nitrico (mg/l)	INLET	SINGLE GRAB	YES	YES	1,30
	P tot (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	pH	OUTLET	SINGLE GRAB	YES	YES	7,19
	SOS (mg/l)	OUTLET	SINGLE GRAB	YES	YES	4,00
	BOD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	N amm (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10
N nitrico (mg/l)	OUTLET	SINGLE GRAB	YES	YES	1,40	
P tot (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10	

DATE	ANALYSIS	LOCATION	METHOD	SAMPLING BY THIRD PARTY?	ANALYSIS BY THIRD PARTY	RESULT
15/05/2018	pH	INLET	SINGLE GRAB	YES	YES	7,17
	SOS (mg/l)	INLET	SINGLE GRAB	YES	YES	4,00
	BOD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	N amm (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	INLET	SINGLE GRAB	YES	YES	0,07
	N nitrico (mg/l)	INLET	SINGLE GRAB	YES	YES	1,20
	P tot (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	pH	OUTLET	SINGLE GRAB	YES	YES	7,2
	SOS (mg/l)	OUTLET	SINGLE GRAB	YES	YES	7,00
	BOD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	N amm (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,14
N nitrico (mg/l)	OUTLET	SINGLE GRAB	YES	YES	1,40	
P tot (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10	

13/06/2018	pH	INLET	SINGLE GRAB	YES	YES	7,15
	SOS (mg/l)	INLET	SINGLE GRAB	YES	YES	4,00
	BOD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	N amm (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	INLET	SINGLE GRAB	YES	YES	0,09
	N nitrico (mg/l)	INLET	SINGLE GRAB	YES	YES	1,10
	P tot (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	pH	OUTLET	SINGLE GRAB	YES	YES	7,15
	SOS (mg/l)	OUTLET	SINGLE GRAB	YES	YES	6,00
	BOD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	N amm (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10
N nitrico (mg/l)	OUTLET	SINGLE GRAB	YES	YES	1,20	
P tot (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10	