

**MONITORAGGIO QUALITA delle ACQUE**

**SEFRO - anno 2017 -**

- criterio **3.2.5** ASC Freshwater trout Standard (Appendix IIB) -

DATE	ANALYSIS	LOCATION	METHOD	SAMPLING BY THIRD PARTY?	ANALYSIS BY THIRD PARTY	RESULT
17/01/2017	pH	INLET	SINGLE GRAB	YES	YES	7,20
	SOS (mg/l)	INLET	SINGLE GRAB	YES	YES	3,00
	BOD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	N amm (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	INLET	SINGLE GRAB	YES	YES	0,12
	N nitrico (mg/l)	INLET	SINGLE GRAB	YES	YES	2,10
	P tot (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	pH	OUTLET	SINGLE GRAB	YES	YES	7,23
	SOS (mg/l)	OUTLET	SINGLE GRAB	YES	YES	17,00
	BOD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	6,00
	N amm (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,24
N nitrico (mg/l)	OUTLET	SINGLE GRAB	YES	YES	2,50	
P tot (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10	

22/02/2017	pH	INLET	SINGLE GRAB	YES	YES	7,24
	SOS (mg/l)	INLET	SINGLE GRAB	YES	YES	9,00
	BOD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	N amm (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	INLET	SINGLE GRAB	YES	YES	0,03
	N nitrico (mg/l)	INLET	SINGLE GRAB	YES	YES	1,60
	P tot (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	pH	OUTLET	SINGLE GRAB	YES	YES	7,26
	SOS (mg/l)	OUTLET	SINGLE GRAB	YES	YES	13,00
	BOD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	8,00
	N amm (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,06
N nitrico (mg/l)	OUTLET	SINGLE GRAB	YES	YES	1,90	
P tot (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10	

13/03/2017	pH	INLET	SINGLE GRAB	YES	YES	7,20
	SOS (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	BOD (mg/l)	INLET	SINGLE GRAB	YES	YES	2,00
	COD (mg/l)	INLET	SINGLE GRAB	YES	YES	10,00
	N amm (mg/l)	INLET	SINGLE GRAB	YES	YES	0,01
	N nitroso (mg/l)	INLET	SINGLE GRAB	YES	YES	0,003
	N nitrico (mg/l)	INLET	SINGLE GRAB	YES	YES	0,333
	P tot (mg/l)	INLET	SINGLE GRAB	YES	YES	0,05
	pH	OUTLET	SINGLE GRAB	YES	YES	7,4
	SOS (mg/l)	OUTLET	SINGLE GRAB	YES	YES	8,10
	BOD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	1,00
	COD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	10,00
	N amm (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,18
	N nitroso (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,003
N nitrico (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,333	
P tot (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,20	

DATE	ANALYSIS	LOCATION	METHOD	SAMPLING BY THIRD PARTY?	ANALYSIS BY THIRD PARTY	RESULT
18/04/2017	pH	INLET	SINGLE GRAB	YES	YES	7,26
	SOS (mg/l)	INLET	SINGLE GRAB	YES	YES	2,00
	BOD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	N amm (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	INLET	SINGLE GRAB	YES	YES	0,09
	N nitrico (mg/l)	INLET	SINGLE GRAB	YES	YES	1,80
	P tot (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	pH	OUTLET	SINGLE GRAB	YES	YES	7,29
	SOS (mg/l)	OUTLET	SINGLE GRAB	YES	YES	18,00
	BOD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	8,00
	N amm (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,29
N nitrico (mg/l)	OUTLET	SINGLE GRAB	YES	YES	2,60	
P tot (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10	

16/05/2017	pH	INLET	SINGLE GRAB	YES	YES	7,25
	SOS (mg/l)	INLET	SINGLE GRAB	YES	YES	2,00
	BOD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	N amm (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	INLET	SINGLE GRAB	YES	YES	0,12
	N nitrico (mg/l)	INLET	SINGLE GRAB	YES	YES	1,50
	P tot (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	pH	OUTLET	SINGLE GRAB	YES	YES	7,25
	SOS (mg/l)	OUTLET	SINGLE GRAB	YES	YES	19,00
	BOD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	9,00
	N amm (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,32
N nitrico (mg/l)	OUTLET	SINGLE GRAB	YES	YES	2,50	
P tot (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10	

13/06/2017	pH	INLET	SINGLE GRAB	YES	YES	7,25
	SOS (mg/l)	INLET	SINGLE GRAB	YES	YES	4,00
	BOD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	N amm (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	INLET	SINGLE GRAB	YES	YES	0,16
	N nitrico (mg/l)	INLET	SINGLE GRAB	YES	YES	1,70
	P tot (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	pH	OUTLET	SINGLE GRAB	YES	YES	7,33
	SOS (mg/l)	OUTLET	SINGLE GRAB	YES	YES	19,00
	BOD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	9,00
	N amm (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,35
N nitrico (mg/l)	OUTLET	SINGLE GRAB	YES	YES	2,90	
P tot (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10	

DATE	ANALYSIS	LOCATION	METHOD	SAMPLING BY THIRD PARTY?	ANALYSIS BY THIRD PARTY	RESULT
26/07/2017	pH	INLET	SINGLE GRAB	YES	YES	8,05
	SOS (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	BOD (mg/l)	INLET	SINGLE GRAB	YES	YES	1,00
	COD (mg/l)	INLET	SINGLE GRAB	YES	YES	10,00
	N amm (mg/l)	INLET	SINGLE GRAB	YES	YES	0,01
	N nitroso (mg/l)	INLET	SINGLE GRAB	YES	YES	0,003
	N nitrico (mg/l)	INLET	SINGLE GRAB	YES	YES	0,33
	P tot (mg/l)	INLET	SINGLE GRAB	YES	YES	0,03
	pH	OUTLET	SINGLE GRAB	YES	YES	7,79
	SOS (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	BOD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	1,00
	COD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	1,00
	N amm (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,01
	N nitroso (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,51
N nitrico (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,05	
P tot (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,025	

17/08/2017	pH	INLET	SINGLE GRAB	YES	YES	7,23
	SOS (mg/l)	INLET	SINGLE GRAB	YES	YES	7,00
	BOD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	N amm (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	INLET	SINGLE GRAB	YES	YES	0,18
	N nitrico (mg/l)	INLET	SINGLE GRAB	YES	YES	1,70
	P tot (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	pH	OUTLET	SINGLE GRAB	YES	YES	7,25
	SOS (mg/l)	OUTLET	SINGLE GRAB	YES	YES	18,00
	BOD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	9,00
	N amm (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,38
N nitrico (mg/l)	OUTLET	SINGLE GRAB	YES	YES	2,50	
P tot (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10	

11/09/2017	pH	INLET	SINGLE GRAB	YES	YES	7,25
	SOS (mg/l)	INLET	SINGLE GRAB	YES	YES	8,00
	BOD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	N amm (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	INLET	SINGLE GRAB	YES	YES	0,19
	N nitrico (mg/l)	INLET	SINGLE GRAB	YES	YES	1,60
	P tot (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	pH	OUTLET	SINGLE GRAB	YES	YES	7,27
	SOS (mg/l)	OUTLET	SINGLE GRAB	YES	YES	16,00
	BOD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	9,00
	N amm (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,27
N nitrico (mg/l)	OUTLET	SINGLE GRAB	YES	YES	1,70	
P tot (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10	

DATE	ANALYSIS	LOCATION	METHOD	SAMPLING BY THIRD PARTY?	ANALYSIS BY THIRD PARTY	RESULT
17/10/2017	pH	INLET	SINGLE GRAB	YES	YES	7,30
	SOS (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	BOD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	N amm (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	INLET	SINGLE GRAB	YES	YES	0,12
	N nitrico (mg/l)	INLET	SINGLE GRAB	YES	YES	1,50
	P tot (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	pH	OUTLET	SINGLE GRAB	YES	YES	7,35
	SOS (mg/l)	OUTLET	SINGLE GRAB	YES	YES	16,00
	BOD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	10,00
	N amm (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,35
N nitrico (mg/l)	OUTLET	SINGLE GRAB	YES	YES	2,10	
P tot (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10	

24/11/2017	pH	INLET	SINGLE GRAB	YES	YES	8,20
	SOS (mg/l)	INLET	SINGLE GRAB	YES	YES	1,00
	BOD (mg/l)	INLET	SINGLE GRAB	YES	YES	4,00
	COD (mg/l)	INLET	SINGLE GRAB	YES	YES	20,00
	N amm (mg/l)	INLET	SINGLE GRAB	YES	YES	0,40
	N nitroso (mg/l)	INLET	SINGLE GRAB	YES	YES	0,030
	N nitrico (mg/l)	INLET	SINGLE GRAB	YES	YES	0,88
	P tot (mg/l)	INLET	SINGLE GRAB	YES	YES	0,50
	pH	OUTLET	SINGLE GRAB	YES	YES	7,6
	SOS (mg/l)	OUTLET	SINGLE GRAB	YES	YES	1,00
	BOD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	4,00
	COD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	20,00
	N amm (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,60
	N nitroso (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,03
N nitrico (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,95	
P tot (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,50	

12/12/2017	pH	INLET	SINGLE GRAB	YES	YES	7,29
	SOS (mg/l)	INLET	SINGLE GRAB	YES	YES	4,00
	BOD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	N amm (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	INLET	SINGLE GRAB	YES	YES	0,16
	N nitrico (mg/l)	INLET	SINGLE GRAB	YES	YES	1,40
	P tot (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	pH	OUTLET	SINGLE GRAB	YES	YES	7,27
	SOS (mg/l)	OUTLET	SINGLE GRAB	YES	YES	18,00
	BOD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	12,00
	N amm (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,39
	N nitrico (mg/l)	OUTLET	SINGLE GRAB	YES	YES	1,90
	P tot (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10

**MONITORAGGIO QUALITA delle ACQUE**

**SEFRO - 1° semestre anno 2018 -**

**- criterio 3.2.5 ASC Freshwater trout Standard (Appendix IIB) -**

DATE	ANALYSIS	LOCATION	METHOD	SAMPLING BY THIRD PARTY?	ANALYSIS BY THIRD PARTY	RESULT
17/01/2018	pH	INLET	SINGLE GRAB	YES	YES	7,20
	SOS (mg/l)	INLET	SINGLE GRAB	YES	YES	2,00
	BOD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	N amm (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	INLET	SINGLE GRAB	YES	YES	0,08
	N nitrico (mg/l)	INLET	SINGLE GRAB	YES	YES	1,50
	P tot (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	pH	OUTLET	SINGLE GRAB	YES	YES	7,25
	SOS (mg/l)	OUTLET	SINGLE GRAB	YES	YES	15,00
	BOD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	15,00
	N amm (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,35
N nitrico (mg/l)	OUTLET	SINGLE GRAB	YES	YES	1,90	
P tot (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10	

06/02/2018	pH	INLET	SINGLE GRAB	YES	YES	7,15
	SOS (mg/l)	INLET	SINGLE GRAB	YES	YES	15,00
	BOD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	INLET	SINGLE GRAB	YES	YES	8,00
	N amm (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	INLET	SINGLE GRAB	YES	YES	0,05
	N nitrico (mg/l)	INLET	SINGLE GRAB	YES	YES	1,70
	P tot (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	pH	OUTLET	SINGLE GRAB	YES	YES	7,19
	SOS (mg/l)	OUTLET	SINGLE GRAB	YES	YES	17,00
	BOD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	10,00
	N amm (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,09
N nitrico (mg/l)	OUTLET	SINGLE GRAB	YES	YES	1,90	
P tot (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10	

22/03/2018	pH	INLET	SINGLE GRAB	YES	YES	7,20
	SOS (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	BOD (mg/l)	INLET	SINGLE GRAB	YES	YES	2,00
	COD (mg/l)	INLET	SINGLE GRAB	YES	YES	10,00
	N amm (mg/l)	INLET	SINGLE GRAB	YES	YES	0,01
	N nitroso (mg/l)	INLET	SINGLE GRAB	YES	YES	0,003
	N nitrico (mg/l)	INLET	SINGLE GRAB	YES	YES	0,333
	P tot (mg/l)	INLET	SINGLE GRAB	YES	YES	0,05
	pH	OUTLET	SINGLE GRAB	YES	YES	7,85
	SOS (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	BOD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	1,00
	COD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	10,00
	N amm (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,01
	N nitroso (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,015
N nitrico (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,374	
P tot (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,025	

DATE	ANALYSIS	LOCATION	METHOD	SAMPLING BY THIRD PARTY?	ANALYSIS BY THIRD PARTY	RESULT
17/04/2018	pH	INLET	SINGLE GRAB	YES	YES	7,25
	SOS (mg/l)	INLET	SINGLE GRAB	YES	YES	6,00
	BOD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	N amm (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	INLET	SINGLE GRAB	YES	YES	0,09
	N nitrico (mg/l)	INLET	SINGLE GRAB	YES	YES	1,50
	P tot (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	pH	OUTLET	SINGLE GRAB	YES	YES	7,28
	SOS (mg/l)	OUTLET	SINGLE GRAB	YES	YES	12,00
	BOD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	9,00
	N amm (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,26
N nitrico (mg/l)	OUTLET	SINGLE GRAB	YES	YES	1,80	
P tot (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10	

15/05/2018	pH	INLET	SINGLE GRAB	YES	YES	7,22
	SOS (mg/l)	INLET	SINGLE GRAB	YES	YES	4,00
	BOD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	N amm (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	INLET	SINGLE GRAB	YES	YES	0,09
	N nitrico (mg/l)	INLET	SINGLE GRAB	YES	YES	1,30
	P tot (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	pH	OUTLET	SINGLE GRAB	YES	YES	7,25
	SOS (mg/l)	OUTLET	SINGLE GRAB	YES	YES	16,00
	BOD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	8,00
	N amm (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,29
N nitrico (mg/l)	OUTLET	SINGLE GRAB	YES	YES	1,90	
P tot (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10	

12/06/2018	pH	INLET	SINGLE GRAB	YES	YES	7,25
	SOS (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	BOD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	INLET	SINGLE GRAB	YES	YES	5,00
	N amm (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	INLET	SINGLE GRAB	YES	YES	0,09
	N nitrico (mg/l)	INLET	SINGLE GRAB	YES	YES	1,50
	P tot (mg/l)	INLET	SINGLE GRAB	YES	YES	0,10
	pH	OUTLET	SINGLE GRAB	YES	YES	7,27
	SOS (mg/l)	OUTLET	SINGLE GRAB	YES	YES	17,00
	BOD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	5,00
	COD (mg/l)	OUTLET	SINGLE GRAB	YES	YES	8,00
	N amm (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10
	N nitroso (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,22
N nitrico (mg/l)	OUTLET	SINGLE GRAB	YES	YES	1,70	
P tot (mg/l)	OUTLET	SINGLE GRAB	YES	YES	0,10	